

5-27-2014

# Conclusive Evidence of Replication of a Plant Virus in Honeybees Is Lacking

W. Allen Miller

*Iowa State University*, [wamiller@iastate.edu](mailto:wamiller@iastate.edu)

Jimena Carrillo-Tripp

*Iowa State University*, [jimena@iastate.edu](mailto:jimena@iastate.edu)

Bryony C. Bonning

*Iowa State University*, [bbonning@iastate.edu](mailto:bbonning@iastate.edu)

Adam G. Dolezal

*Iowa State University*, [adolezal@iastate.edu](mailto:adolezal@iastate.edu)

Amy L. Toth

*Iowa State University*, [amytoth@iastate.edu](mailto:amytoth@iastate.edu)

Follow this and additional works at: [http://lib.dr.iastate.edu/ent\\_pubs](http://lib.dr.iastate.edu/ent_pubs)



Part of the [Ecology and Evolutionary Biology Commons](#), [Entomology Commons](#), and the [Plant Pathology Commons](#)

The complete bibliographic information for this item can be found at [http://lib.dr.iastate.edu/ent\\_pubs/46](http://lib.dr.iastate.edu/ent_pubs/46). For information on how to cite this item, please visit <http://lib.dr.iastate.edu/howtocite.html>.

---

# Conclusive Evidence of Replication of a Plant Virus in Honeybees Is Lacking

## Abstract

The recent article by Li et al. (1) lacks adequate evidence to support the authors' assertion that a plant virus propagates or replicates in honeybees. Instead, it is possible that tobacco ringspot virus (TRSV) virions associate with the honeybee and parasitic *Varroa* mites in the absence of TRSV replication.

## Keywords

Plant Pathology and Microbiology, Ecology Evolution and Organismal Biology

## Disciplines


Ecology and Evolutionary Biology | Entomology | Plant Pathology

## Comments

This article is from *mBio* 5 (2014): e00985-14, doi:[10.1128/mBio.00985-14](https://doi.org/10.1128/mBio.00985-14).

## Rights

This is an open-access article distributed under the terms of the Creative Commons Attribution-Noncommercial-ShareAlike 3.0 Unported license, which permits unrestricted noncommercial use, distribution, and reproduction in any medium, provided the original author and source are credited.



## Conclusive Evidence of Replication of a Plant Virus in Honeybees Is Lacking

W. Allen Miller, Jimena Carrillo-Tripp, Bryony C. Bonning, et al.  
2014. Conclusive Evidence of Replication of a Plant Virus in Honeybees Is Lacking . mBio 5(3): .  
doi:10.1128/mBio.00985-14.

---

Updated information and services can be found at:  
<http://mbio.asm.org/content/5/3/e00985-14.full.html>

---

#### REFERENCES

This article cites 6 articles, 2 of which can be accessed free at:  
<http://mbio.asm.org/content/5/3/e00985-14.full.html#ref-list-1>

#### CONTENT ALERTS

Receive: RSS Feeds, eTOCs, free email alerts (when new articles cite this article), [more>>](#)

---

Information about commercial reprint orders: <http://mbio.asm.org/misc/reprints.xhtml>

Information about Print on Demand and other content delivery options:

<http://mbio.asm.org/misc/contentdelivery.xhtml>

To subscribe to another ASM Journal go to: <http://journals.asm.org/subscriptions/>

# Conclusive Evidence of Replication of a Plant Virus in Honeybees Is Lacking

W. Allen Miller,<sup>a</sup> Jimena Carrillo-Tripp,<sup>a</sup> Bryony C. Bonning,<sup>b</sup> Adam G. Dolezal,<sup>c</sup> Amy L. Toth<sup>b,c</sup>

Departments of Plant Pathology and Microbiology,<sup>a</sup> Entomology,<sup>b</sup> and Ecology, Evolution and Organismal Biology,<sup>c</sup> Iowa State University, Ames, Iowa, USA

The recent article by Li et al. (1) lacks adequate evidence to support the authors' assertion that a plant virus propagates or replicates in honeybees. Instead, it is possible that tobacco ring-spot virus (TRSV) virions associate with the honeybee and parasitic *Varroa* mites in the absence of TRSV replication.

First, the presence of plant viral sequences in an organism does not imply replication. For example, plant viruses have been reported to abound in the human large intestine (2, 3). The genome sequences and the reverse transcription (RT)-PCR products reported by Li et al. could have been generated from TRSV virions on the surface of, or inside, the honeybee or on pollen. As TRSV is pollen transmitted (4, 5), association of TRSV with honeybees via pollen is a distinct possibility.

The only experiment the authors presented to test directly for virus replication was detection of negative-strand TRSV RNA, which indeed should be present only if RNA replication occurs. However, a crucial control was missing, and thus the results do not rule out the possibility that the intended negative-strand-specific RT-PCR actually amplified positive-strand RNA template. Because the authors did not use positive-strand RNA as a negative-control template, amplification of the positive strand by low levels of mispriming on the positive strand cannot be ruled out. The authors used tagged primers to reduce this possibility; however, this technique requires extensive preliminary validation, which was not provided. Even when tagged primers are used, negative-strand specificity can be lost in the presence of high concentrations of positive-strand RNA (6). A further complication is that even if the primers are negative strand specific, it is possible that minute, but amplifiable, quantities of negative-strand RNA are encapsidated in virions (6). The use of RNA from purified TRSV virions as the template would have addressed this possibility.

No *in situ* hybridization was performed to visualize TRSV inside honeybee cells, and no negative-control assays were performed on *in situ* hybridization in *Varroa* mites to verify the specificity of the probe. Importantly, the authors did not show an increase in TRSV levels over time, for example, by inoculating TRSV-free honeybees with TRSV to test infectivity.

What else, besides virus replication, might explain the presence of TRSV in multiple bee tissues? It is feasible that these observations could result from contamination from the gut or cuticle of the bee by virions or TRSV-containing pollen. These possibilities may seem remote, but one could argue the same about the au-

thors' claim that a positive-sense RNA plant virus could replicate in insects, which is something that has not been reported previously, despite decades of research on plant virus-insect interactions. Rather than debate which explanation is more likely, controlled experiments that conclusively reveal or rule out replication would answer the question. In summary, we are not stating that TRSV does not replicate in honeybees, but we conclude that the evidence presented by Li et al. to support their claim is inconclusive. For another analysis, see episode 271 of *This Week in Virology* (7).

## REFERENCES

- Li JL, Cornman RS, Evans JD, Pettis JS, Zhao Y, Murphy C, Peng WJ, Wu J, Hamilton M, Boncristiani HF, Jr, Zhou L, Hammond J, Chen YP. 2014. Systemic spread and propagation of a plant-pathogenic virus in European honeybees, *Apis mellifera*. *mBio* 5(1):e00898-13. <http://dx.doi.org/10.1128/mBio.00898-13>.
- Zhang T, Breitbart M, Lee WH, Run JQ, Wei CL, Soh SW, Hibberd ML, Liu ET, Rohwer F, Ruan Y. 2006. RNA viral community in human feces: Prevalence of plant pathogenic viruses. *PLoS Biol.* 4:e3. <http://dx.doi.org/10.1371/journal.pbio.0040003>.
- Victoria JG, Kapoor A, Li L, Blinkova O, Slikas B, Wang C, Naeem A, Zaidi S, Delwart E. 2009. Metagenomic analyses of viruses in stool samples from children with acute flaccid paralysis. *J. Virol.* 83:4642–4651. <http://dx.doi.org/10.1128/JVI.02301-08>.
- Yang AF, Hamilton RI. 1974. The mechanism of seed transmission of tobacco ring-spot virus in soybean. *Virology* 62:26–37. [http://dx.doi.org/10.1016/0042-6822\(74\)90300-6](http://dx.doi.org/10.1016/0042-6822(74)90300-6).
- Card SD, Pearson MN, Clover GRG. 2007. Plant pathogens transmitted by pollen. *Austral. Plant Pathol.* 36:455–461. <http://dx.doi.org/10.1071/AP07050>.
- Chatterjee SN, Devhare PB, Lole KS. 2012. Detection of negative-sense RNA in packaged hepatitis E virions by use of an improved strand-specific reverse transcription-PCR method. *J. Clin. Microbiol.* 50:1467–1470. <http://dx.doi.org/10.1128/JCM.06717-11>.
- This Week in Virology*. 9 February 2014. To bee, or not to bee, that is the infection. *This Week in Virology*, episode 271. <http://www.twiv.tv/2014/02/09/twiv-271-to-bee-or-not-to-bee-that-is-the-infection/>.

Published 27 May 2014

**Citation** Miller WA, Carrillo-Tripp J, Bonning BC, Dolezal AG, Toth AL. 2014. Conclusive evidence of replication of a plant virus in honeybees is lacking. *mBio* 5(3):e00985-14. doi:10.1128/mBio.00985-14.

**Copyright** © 2014 Miller et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution-Noncommercial-ShareAlike 3.0 Unported license](http://creativecommons.org/licenses/by-nc-sa/3.0/), which permits unrestricted noncommercial use, distribution, and reproduction in any medium, provided the original author and source are credited.

Address correspondence to W. Allen Miller, [wamiller@iastate.edu](mailto:wamiller@iastate.edu).