

5-16-2012

2012 Western Bean Cutworm Cooperators Needed

Adam J. Sisson

Iowa State University, ajsisson@iastate.edu

Follow this and additional works at: <http://lib.dr.iastate.edu/cropnews>

 Part of the [Agricultural Science Commons](#), [Agriculture Commons](#), and the [Entomology Commons](#)

Recommended Citation

Sisson, Adam J., "2012 Western Bean Cutworm Cooperators Needed" (2012). *Integrated Crop Management News*. 192.
<http://lib.dr.iastate.edu/cropnews/192>

The Iowa State University Digital Repository provides access to Integrated Crop Management News for historical purposes only. Users are hereby notified that the content may be inaccurate, out of date, incomplete and/or may not meet the needs and requirements of the user. Users should make their own assessment of the information and whether it is suitable for their intended purpose. For current information on integrated crop management from Iowa State University Extension and Outreach, please visit <https://crops.extension.iastate.edu/>.

2012 Western Bean Cutworm Cooperators Needed

Abstract

Western bean cutworm (WBC) is a pest of corn that has expanded its range across Iowa and states east of Iowa. Beginning in 2003, Iowa State University set up a network of pheromone traps to monitor WBC. This provides yearly moth emergence data to enhance scouting efforts.

Disciplines

Agricultural Science | Agriculture | Entomology

search

Subscribe to Crop News

Archives

2014

2013

2012

2011

2010

2009

2008

Previous Years

ISU Crop Resources

Extension Field Agronomists

Crop & Soils Info

Pesticide Applicator Training

Agronomy Extension

Entomology Extension

Plant Pathology Extension

Ag and Biosystems Engineering Extension

Agribusiness Education Program

Iowa Grain Quality Initiative

College of Agriculture and Life Sciences

ISU Extension

Integrated Crop Management NEWS

-  PRINT STORY
-  EMAIL STORY
-  ADD TO DELICIOUS
-  ATOM FEED
-  FOLLOW ON TWITTER

2012 Western Bean Cutworm Cooperators Needed

By Adam Sisson, Integrated Pest Management

Western bean cutworm (WBC) is a pest of corn that has expanded its range across Iowa and states east of Iowa. Beginning in 2003, Iowa State University set up a network of pheromone traps to monitor WBC. This provides yearly moth emergence data to enhance scouting efforts.

Cooperators are needed in 2012 to monitor traps and record data to the Iowa State University [Western Bean Cutworm Monitoring Network website](#). Producers interested in becoming part of the monitoring network this year, or those who want more information should email wbcutworm@iastate.edu. To take part in the monitoring, include postal mailing address in the email message.

The trapping program consists of:

- Building moth traps out of one-gallon milk jugs and pheromone lures supplied by Iowa State University.
- Monitoring traps every other day for new moth captures (Fig. 1).
- Reporting trap [data to the website](#).



Figure 1. Western bean cutworm adult moth

Adam Sisson is an Integrated Pest Management program assistant. Sisson can be contacted by email at ajsisson@iastate.edu or by calling 515-294-5899.

This article was published originally on 5/16/2012. The information contained within the article may or may not be up to date depending on when you are accessing the information.

Links to this material are strongly encouraged. This article may be republished without further permission if it is published as written and includes credit to the author, Integrated Crop Management News and Iowa State University Extension. Prior permission from the author is required if this article is republished in any other manner.

Copyright ©2014 [Iowa State University Extension](#) | [Iowa State University](#)
[Contact us](#) | [For Staff](#) | [Nondiscrimination and Information Disclosures](#) | [CMS Admin](#)
Last Updated 5/16/2012