

12-22-2011

First Iowa Confirmation of Resistance to Bt Corn by Western Corn Rootworm

Erin W. Hodgson

Iowa State University, ewh@iastate.edu

Aaron J. Gassmann

Iowa State University, aaronjg@iastate.edu

Follow this and additional works at: <http://lib.dr.iastate.edu/cropnews>

 Part of the [Agricultural Science Commons](#), [Agriculture Commons](#), and the [Entomology Commons](#)

Recommended Citation

Hodgson, Erin W. and Gassmann, Aaron J., "First Iowa Confirmation of Resistance to Bt Corn by Western Corn Rootworm" (2011).
Integrated Crop Management News. 240.
<http://lib.dr.iastate.edu/cropnews/240>

The Iowa State University Digital Repository provides access to Integrated Crop Management News for historical purposes only. Users are hereby notified that the content may be inaccurate, out of date, incomplete and/or may not meet the needs and requirements of the user. Users should make their own assessment of the information and whether it is suitable for their intended purpose. For current information on integrated crop management from Iowa State University Extension and Outreach, please visit <https://crops.extension.iastate.edu/>.

First Iowa Confirmation of Resistance to Bt Corn by Western Corn Rootworm

Abstract

Starting in 2009, the Department of Entomology at Iowa State University received reports of severe corn rootworm injury in Bt corn in Iowa. In all cases, western corn rootworm was the predominant rootworm species in these fields (Fig. 1).

Keywords

Entomology

Disciplines

Agricultural Science | Agriculture | Entomology

search

Subscribe to Crop News

Archives

- 2014
- 2013
- 2012
- 2011
- 2010
- 2009
- 2008
- Previous Years

ISU Crop Resources

- Extension Field Agronomists
- Crop & Soils Info
- Pesticide Applicator Training
- Agronomy Extension
- Entomology Extension
- Plant Pathology Extension
- Ag and Biosystems Engineering Extension
- Agribusiness Education Program
- Iowa Grain Quality Initiative
- College of Agriculture and Life Sciences
- ISU Extension



PRINT STORY
 EMAIL STORY
 ADD TO DELICIOUS
 ATOM FEED
 FOLLOW ON TWITTER

First Iowa Confirmation of Resistance to Bt Corn by Western Corn Rootworm

By Erin Hodgson and Aaron Gassmann, Department of Entomology

Starting in 2009, the Department of Entomology at Iowa State University received reports of severe corn rootworm injury in Bt corn in Iowa. In all cases, western corn rootworm was the predominant rootworm species in these fields (Fig. 1).



Figure 1. Western corn rootworm was the predominant species in fields with performance issues. Photo by Marlin Rice.

The Gassmann lab compared survivorship of western corn rootworm collected from these problem fields versus insects from control fields (not associated with performance issues). The results were recently published in an article by Gassmann et al. (2011), [Field-evolved resistance to Bt Maize by western corn rootworm](#). In general, survival on Cry3Bb1 corn was significantly higher for larvae from problem fields compared to control fields (Fig. 2A). Cry3Bb1 corn is sold commercially under the names YieldGard RW and YieldGard VT Triple. The publication also showed no cross-resistance with the Cry34/35Ab1 protein (Fig. 2B).




Figure 2. Survival of western corn rootworm larvae on Bt and non-Bt corn. Figures are from the [Gassmann et al. \(2011\) paper](#).

This research reports the first time a beetle has evolved resistance to a Bt crop in the field. But maybe these findings are not a total surprise. The Bt proteins targeting corn rootworm are not considered high dose like they are for European corn borer. Additionally, resistant strains of western corn rootworm can be produced in a lab within three generations, which translates to three summers in an Iowa corn field.

Management Considerations

The number of fields with resistance to Cry3Bb1 corn is small at this time. But it should be noted that similar damage has been [reported in Illinois](#), Minnesota, [Nebraska](#) and South Dakota. This research highlights the importance of incorporating integrated pest management (IPM) and insect resistance management (IRM) into field crop production. All problem fields visited in 2009 had a production history of at least three years of continuous corn with the Cry3Bb1 protein, and this likely contributed to the development of resistance.

The most effective way to prevent widespread rootworm resistance is to use sound IRM and IPM for Bt corn targeting corn rootworm. Crop rotation is among the most effective management strategies for controlling western corn rootworm in Iowa. Also, consider rotating Bt proteins if planting continuous corn. Always comply with refuge requirements for the seed type, which can range from 5 to 20 percent. A soil-applied insecticide can be used with a non-Bt hybrid or could supplement root protection for Bt corn in areas with known high larval pressure. All corn fields should be evaluated annually by assessing root injury from corn rootworm and management strategies should be adjusted if injury above 0.5 nodes is observed for roots that are protected against corn rootworm (Fig. 3).



Figure 3. Severe corn rootworm injury can interfere with nutrient uptake and make plants unstable. Assessing root injury is important for determining larval pressure in a field. Photo by Erin Hodgson.

Erin Hodgson is an assistant professor of entomology with extension and research responsibilities. She can be contacted by email at ewh@iastate.edu or phone (515) 294-2847. Aaron Gassmann is an assistant professor of entomology.

This article was published originally on 12/22/2011 The information contained within the article may or may not be up to date depending on when you are accessing the information.

Links to this material are strongly encouraged. This article may be republished without further permission if it is published as written and includes credit to the author, Integrated Crop Management News and Iowa State University Extension. Prior permission from the author is required if this article is republished in any other manner.

Copyright ©2014 [Iowa State University Extension](#) | [Iowa State University](#)
[Contact us](#) | [For Staff](#) | [Nondiscrimination and Information Disclosures](#) | [CMS Admin](#)
Last Updated 1/9/2012