

2017

Corn Row Spacing and Seeding Rate

Mark Licht

Iowa State University, lichtma@iastate.edu

Chad Huffman

Iowa State University

Follow this and additional works at: <https://lib.dr.iastate.edu/farmprogressreports>



Part of the [Agriculture Commons](#), and the [Agronomy and Crop Sciences Commons](#)

Recommended Citation

Licht, Mark and Huffman, Chad (2017) "Corn Row Spacing and Seeding Rate," *Farm Progress Reports*: Vol. 2016 : Iss. 1 , Article 108.

DOI: <https://doi.org/10.31274/farmprogressreports-180814-1674>

Available at: <https://lib.dr.iastate.edu/farmprogressreports/vol2016/iss1/108>

This Northwest and Allee Research and Demonstration Farms is brought to you for free and open access by the Extension and Experiment Station Publications at Iowa State University Digital Repository. It has been accepted for inclusion in Farm Progress Reports by an authorized editor of Iowa State University Digital Repository. For more information, please contact digirep@iastate.edu.

Corn Row Spacing and Seeding Rate

RFR-A1631

Mark Licht, assistant professor and extension cropping systems specialist
Department of Agronomy
Chad Huffman, interim farm superintendent

Introduction

Corn plant populations have increased at approximately 400 plants/acre per year over the last two decades. Seeding rates are now commonly 32,000 to 38,000 seeds/acre. Additionally, grain yields are increasing at approximately 1.8 bushels/acre per year since 1996. Because corn plant populations and grain yields are increasing, there has been a renewed interest in looking at corn row spacing and seeding rate.

Materials and Methods

This set of trials was conducted in 2016 using two Dekalb hybrids (DKC52-84 and DKC53-56) in trial one and two Pioneer hybrids (P0157 and P0339) in trial two. These trials were not designed to compare brand genetics. Each trial was set up as a randomized complete block design. The seeding rates used were 30,000, 34,000, 38,000, and 42,000 seeds/acre at a 20- and 30-in. row spacing for each hybrid.

Results and Discussion

In trial one, the main effects of hybrid, seeding rate, and row spacing on yield were significant at 95 percent confidence (Table 1). DKC 52-84 yielded 16 bushels/acre greater than DKC 53-56. The seeding rate of 42,000 yielded between 9.3 and 6.2 bushels/acre less than the other seeding rates. The 20-in. row spacing yielded 16.2 bushels/acre more than 30-in. row spacing. The only interaction with a significant p-value was the interaction of hybrid by seeding rates ($P = 0.0001$).

In trial two, the only significant effect was the main effect of row spacing, which was significant with $P < 0.0001$ (Table 2). The 20-in. row spacing yielded 7.9 bushels/acre more than the 30-in. rows. Interaction effects were not found to be significant in this trial.

Acknowledgements

This project was made possible with seed donations from DuPont Pioneer and Monsanto and chemical donations from Bayer Crop Science. Sorensen Equipment and Kinze Manufacturing provided planter units at cost to build a 20-in. planter for the trials.

Table 1. Corn grain yields for trial one (DeKalb)–hybrid × seeding rate × row spacing, 2016.¹

	DKC 52-84	DKC 53-56	30,000 seeds/ac	34,000 seeds/ac	38,000 seeds/ac	42,000 seeds/ac	20-in. row	30-in. row
grain yield (bushels/acre)								
DKC 52-84	<u>277.4</u>							
DKC 53-56	261.4							
	P < 0.0001							
30,000 seeds/ac	<u>274.2</u>	271.1	<u>272.7</u>					
34,000 seeds/ac	<u>279.8</u>	264.2	272.0					
38,000 seeds/ac	<u>277.8</u>	261.4			<u>269.6</u>			
42,000 seeds/ac	<u>277.6</u>	249.1			263.4			
	P = 0.0001		P = 0.0014					
20-in. row	287.0	268.1	280.6	280.6	276.1	272.8	<u>277.5</u>	
30-in. row	267.7	254.8	264.7	263.4	263.1	253.9	261.3	
	P = 0.0838		P = 0.6357		P < 0.0001			

¹P-values within boxes are used to compare yields of the main effects or interaction effects within each box. Underlined yields are significantly higher at P < 0.05.

Table 2. Corn grain yields for trial two (Pioneer)–hybrid × seeding rate × row spacing, 2016.¹

	P0157	P0339	30,000 seeds/ac	34,000 seeds/ac	38,000 seeds/ac	42,000 seeds/ac	20-in. row	30-in. row
grain yield (bushels/acre)								
P0157	273.0							
P0339	274.5							
	P = 0.3657							
30,000 seeds/ac	269.2	273.8	271.5					
34,000 seeds/ac	275.0	276.6	275.8					
38,000 seeds/ac	275.0	277.5			276.2			
42,000 seeds/ac	272.9	270.3			271.6			
	P = 0.4773		P = 0.0742					
20-in. row	277.9	277.6	275.7	279.7	279.0	276.5	<u>277.7</u>	
30-in. row	268.2	271.5	267.3	271.9	273.5	266.6	269.8	
	P = 0.2847		P = 0.8129		P < 0.0001			

¹P-values within boxes are used to compare yields of the main effects or interaction effects within each box. Underlined yields are significantly higher at P < 0.05.