

8-12-1994

Preface of Bioremediation through Rhizosphere Technology

Todd A. Anderson
Iowa State University

Joel R. Coats
Iowa State University, jcoats@iastate.edu

Follow this and additional works at: http://lib.dr.iastate.edu/ent_pubs

 Part of the [Entomology Commons](#), [Environmental Microbiology and Microbial Ecology Commons](#), [Organismal Biological Physiology Commons](#), and the [Plant Sciences Commons](#)

The complete bibliographic information for this item can be found at http://lib.dr.iastate.edu/ent_pubs/368. For information on how to cite this item, please visit <http://lib.dr.iastate.edu/howtocite.html>.

This Book Chapter is brought to you for free and open access by the Entomology at Iowa State University Digital Repository. It has been accepted for inclusion in Entomology Publications by an authorized administrator of Iowa State University Digital Repository. For more information, please contact digirep@iastate.edu.

Preface of Bioremediation through Rhizosphere Technology

Abstract

The use of MICROORGANISMS to remediate environments contaminated by hazardous substances is an innovative technology and an area of intense interest. Although biological technology has been used for decades in wastewater treatment, recent examination of the cost-effectiveness of this technology has led to its application to hazardous chemicals at waste sites. Successes obtained by using the natural metabolic capabilities of bacteria and fungi to clean up soil, sediment, and water have encouraged continued interest and research in bioremediation.

Disciplines

Entomology | Environmental Microbiology and Microbial Ecology | Organismal Biological Physiology | Plant Sciences

Comments

Reprinted (adapted) with permission from *Bioremediation through Rhizosphere Technology*, 563; Doi: [10.1021/bk-1994-0563.pr001](https://doi.org/10.1021/bk-1994-0563.pr001). 1994 American Chemical Society.

Preface

THE USE OF MICROORGANISMS to remediate environments contaminated by hazardous substances is an innovative technology and an area of intense interest. Although biological technology has been used for decades in wastewater treatment, recent examination of the cost-effectiveness of this technology has led to its application to hazardous chemicals at waste sites. Successes obtained by using the natural metabolic capabilities of bacteria and fungi to clean up soil, sediment, and water have encouraged continued interest and research in bioremediation.

Microbial degradation of toxicants can be hindered, when, for example, the population or activity of microorganisms capable of degrading the toxicants is limited by the environmental conditions. In such cases, environmental conditions must be altered to effectuate remediation. The use of vegetation to facilitate microbial degradation of toxicants may be a viable method for remediating contaminated environments in situ. The plant root zone, or rhizosphere, provides a habitat conducive to the proliferation of microbial growth and activity. Previous research indicated decreased persistence of pesticides in rhizosphere soils. Recent investigations revealed similar results with industrial chemicals such as surfactants, oil residues, polycyclic aromatic hydrocarbons (PAHs), pentachlorophenol, and trichloroethylene.

Although numerous texts deal with the rhizosphere, this is the first book on the potential use of the rhizosphere for bioremediation. The book is divided into four sections. Overviews of bioremediation and rhizosphere microbiology are provided in the first section. The interactions between microorganisms, plants, and chemicals in the rhizosphere are presented in six chapters contained in the second section. The degradation of industrial chemicals in the rhizosphere, including PAHs and chlorinated phenols, is presented in the third section. Finally, the section on microbial degradation of pesticides in the rhizosphere contains chapters on herbicides as well as applications to pesticide-contaminated sites. Overall, we believe the book provides the lay reader with valuable review information that puts in context the potential role of the rhizosphere in bioremediation. In addition, the book provides those active in this area of research with a document that summarizes the current state of the science.

Acknowledgments

We thank the contributors to this volume for providing information on the current knowledge of the influence of rhizosphere microorganisms in degrading pesticides and industrial chemicals. The technical reviewers for this volume deserve special recognition for their efforts in the peer-review process.

We express appreciation to the Agrochemicals and Environmental Chemistry Divisions of the American Chemical Society for providing assistance and a forum for this research. We also thank Anne Wilson of ACS Books for her assistance in bringing this book to fruition.

We dedicate this book to our wives, Brenda Anderson and Becky Coats, for their support during the development of this book and throughout our professional lives.

TODD A. ANDERSON
Pesticide Toxicology Laboratory
Department of Entomology
Iowa State University
Ames, IA 50011–3140

JOEL R. COATS
Pesticide Toxicology Laboratory
Department of Entomology
Iowa State University
Ames, IA 50011–3140

May 3, 1994