

5-19-2009

## Early-Season Weed Competition

Robert G. Hartzler

Iowa State University, hartzler@iastate.edu

Follow this and additional works at: <http://lib.dr.iastate.edu/cropnews>

 Part of the [Agricultural Science Commons](#), [Agriculture Commons](#), [Agronomy and Crop Sciences Commons](#), and the [Weed Science Commons](#)

---

### Recommended Citation

Hartzler, Robert G., "Early-Season Weed Competition" (2009). *Integrated Crop Management News*. 664.  
<http://lib.dr.iastate.edu/cropnews/664>

**The Iowa State University Digital Repository provides access to Integrated Crop Management News for historical purposes only. Users are hereby notified that the content may be inaccurate, out of date, incomplete and/or may not meet the needs and requirements of the user. Users should make their own assessment of the information and whether it is suitable for their intended purpose. For current information on integrated crop management from Iowa State University Extension and Outreach, please visit <https://crops.extension.iastate.edu/>.**

---

# Early-Season Weed Competition

## **Abstract**

The pressure to plant fields in a timely fashion frequently results in delayed application of preemergence herbicides due to rain or windy conditions. This situation isn't as troublesome as it would have been in the past due to the availability of effective postemergence herbicides; however, establishment of weeds with the crop can result in yield loss early in the season if not managed properly.

## **Keywords**

Agronomy

## **Disciplines**

Agricultural Science | Agriculture | Agronomy and Crop Sciences | Weed Science

[Subscribe to Crop News](#)

#### Archives

[2015](#)[2014](#)[2013](#)[2012](#)[2011](#)[2010](#)[2009](#)[2008](#)[Previous Years](#)

#### ISU Crop Resources

[Extension Field Agronomists](#)[Crop & Soils Info](#)[Pesticide Applicator Training](#)[Agronomy Extension](#)[Entomology Extension](#)[Plant Pathology Extension](#)[Ag and Biosystems Engineering Extension](#)[Agribusiness Education Program](#)[Iowa Grain Quality Initiative](#)[College of Agriculture and Life Sciences](#)[ISU Extension](#)

# Integrated Crop Management NEWS

-  PRINT STORY
-  EMAIL STORY
-  ADD TO DELICIOUS
-  ATOM FEED
-  FOLLOW ON TWITTER

## Early-Season Weed Competition

By Bob Hartzler, Department of Agronomy

The pressure to plant fields in a timely fashion frequently results in delayed application of preemergence herbicides due to rain or windy conditions. This situation isn't as troublesome as it would have been in the past due to the availability of effective postemergence herbicides; however, establishment of weeds with the crop can result in yield loss early in the season if not managed properly.

Research in northern Iowa in 2008 documented a 10 percent yield loss as early as the V2 corn stage due to weed competition. Allowing weeds to grow too long with corn also can increase economic optimum nitrogen rates due to N immobilization by the weeds.

Several factors determine when weeds begin to impact yields, including emergence time, weed species and density, cultural practices and environmental conditions. Due to our inability to predict accurately when weeds begin to impact yields, it is best to act conservatively to minimize risks, particularly in fields with high weed populations.

If a field is heavily infested with weeds (10 weeds or more per square foot), weeds should be controlled before they exceed 2 inches in height. Lighter infestations provide greater flexibility in application timing, but early control will minimize risks and provide more consistent control.

*Bob Hartzler is a professor of weed science with extension, teaching and research responsibilities. He can be contacted by email at [hartzler@iastate.edu](mailto:hartzler@iastate.edu) or phone (515) 294-1164.*

This article was published originally on 5/19/2009. The information contained within the article may or may not be up to date depending on when you are accessing the information.

Links to this material are strongly encouraged. This article may be republished without further permission if it is published as written and includes credit to the author, Integrated Crop Management News and Iowa State University Extension. Prior permission from the author is required if this article is republished in any other manner.