

3-27-2009

Corn Nitrogen Rate Calculator Update

John E. Sawyer

Iowa State University, jsawyer@iastate.edu

Follow this and additional works at: <http://lib.dr.iastate.edu/cropnews>

 Part of the [Agricultural Science Commons](#), [Agriculture Commons](#), and the [Agronomy and Crop Sciences Commons](#)

Recommended Citation

Sawyer, John E., "Corn Nitrogen Rate Calculator Update" (2009). *Integrated Crop Management News*. 729.
<http://lib.dr.iastate.edu/cropnews/729>

The Iowa State University Digital Repository provides access to Integrated Crop Management News for historical purposes only. Users are hereby notified that the content may be inaccurate, out of date, incomplete and/or may not meet the needs and requirements of the user. Users should make their own assessment of the information and whether it is suitable for their intended purpose. For current information on integrated crop management from Iowa State University Extension and Outreach, please visit <https://crops.extension.iastate.edu/>.

Corn Nitrogen Rate Calculator Update

Abstract

The Iowa Nitrogen (N) response trial database was updated March 24, 2009. Response trials were added from 2008 research and several trials from older research were removed. There are now 176 trials for corn following soybean and 78 trials for corn following corn. Being able to easily update the database with recent data is one of the many advantages to this dynamic approach for corn N rate guidelines. Having new response trial data allows rapid updating with changing hybrid genetics, rotations and climatic conditions.

Keywords

Agronomy

Disciplines

Agricultural Science | Agriculture | Agronomy and Crop Sciences

search

Subscribe to Crop News

Archives

2015

2014

2013

2012

2011

2010

2009

2008

Previous Years

ISU Crop Resources

Extension Field Agronomists

Crop & Soils Info

Pesticide Applicator Training

Agronomy Extension

Entomology Extension

Plant Pathology Extension

Ag and Biosystems Engineering Extension

Agribusiness Education Program

Iowa Grain Quality Initiative

College of Agriculture and Life Sciences

ISU Extension

Integrated Crop Management NEWS

-  PRINT STORY
-  EMAIL STORY
-  ADD TO DELICIOUS
-  ATOM FEED
-  FOLLOW ON TWITTER

Corn Nitrogen Rate Calculator Update

by John Sawyer, Department of Agronomy

Nitrogen (N) Response Trials Added

The Iowa Nitrogen (N) response trial database was updated March 24, 2009. Response trials were added from 2008 research and several trials from older research were removed. There are now 176 trials for corn following soybean and 78 trials for corn following corn. Being able to easily update the database with recent data is one of the many advantages to this dynamic approach for corn N rate guidelines. Having new response trial data allows rapid updating with changing hybrid genetics, rotations and climatic conditions.

With the updated database, calculated N rates have changed only slightly from last fall. The table below gives the N rate at the maximum return to N (MRTN) and the profitable N rate range from the updated calculator for several N:corn grain price ratios. You can work with any price of N and corn you wish when running the calculator. Output information includes the N rate at the MRTN, the profitable N rate range, the net return to N application, the percent of maximum yield, and the selected N fertilizer product rate and cost.

What is the Corn Nitrogen Rate Calculator?

The [Corn Nitrogen Rate Calculator Web tool](#) is a resource that aids N rate decisions for corn production and is helpful in determining the effect of fertilizer and corn price on application rates. The method for calculating suggested N rates is based on a regional (Corn Belt) approach to N rate guidelines. Details on the approach are provided in the regional publication Concepts and Rationale for Regional Nitrogen Rate Guidelines for Corn. This approach and the Corn Nitrogen Rate Calculator are now being used by seven Corn Belt states: Iowa, Illinois, Indiana, Michigan, Minnesota, Ohio, and Wisconsin; with Michigan and Ohio being added this year.

Nitrogen rate guidelines in Iowa for different N and corn grain prices.				
Price Ratio ¹	Corn Following Soybean		Corn Following Corn	
	Rate ²	Range ³	Rate ²	Range ³
\$/lb:\$/bu	----- lb N/acre -----			
0.05	145	131 - 162	199	182 - 213
0.10	125	113 - 139	177	164 - 190
0.15	112	101 - 123	159	147 - 172
0.20	99	99 - 111	146	136 - 157

¹ Price per lb N divided by the expected corn price. For example, N at \$0.40/lb N and corn at \$4.00/bu is a 0.10 price ratio. Corn held at \$4.00/bu for all price ratios.

² Rate is the lb N/acre that provides the Maximum Return To N (MRTN). All rates are based on results from the *Corn N Rate Calculator* as of March 24, 2009 (<http://extension.agron.iastate.edu/soilfertility/nrate.aspx>).

³ Range is the range of profitable N rates that provides a similar economic return to N (within \$1.00/acre of the MRTN).

Resources for N Rate Decisions

The Corn Nitrogen Rate Calculator Web tool is located at <http://extension.agron.iastate.edu/soilfertility/nrate.aspx>.

The regional publication Regional Nitrogen Rate Guidelines for Corn, PM 2015, can be ordered through any ISU extension county office, on the Web through the [extension online store](#) , or by calling (515) 294-5247. An electronic copy of the publication is available at www.extension.iastate.edu/Publications/2015.pdf.

The ISU Agronomy Extension Soil Fertility Web site is located at <http://extension.agron.iastate.edu/soilfertility/>.

John Sawyer is professor with research and extension responsibilities in soil fertility and nutrient management.

This article was published originally on 3/27/2009. The information contained within the article may or may not be up to date depending on when you are accessing the information.

Links to this material are strongly encouraged. This article may be republished without further permission if it is published as written and includes credit to the author, Integrated Crop Management News and Iowa State University Extension. Prior permission from the author is required if this article is republished in any other manner.