


5-23-2008

La Nina Diminishes

S. Elwynn Taylor

Iowa State University, setaylor@iastate.edu

Follow this and additional works at: <http://lib.dr.iastate.edu/cropnews>

 Part of the [Agricultural Science Commons](#), [Agriculture Commons](#), [Agronomy and Crop Sciences Commons](#), [Climate Commons](#), and the [Meteorology Commons](#)

Recommended Citation

Taylor, S. Elwynn, "La Nina Diminishes" (2008). *Integrated Crop Management News*. 920.
<http://lib.dr.iastate.edu/cropnews/920>

The Iowa State University Digital Repository provides access to Integrated Crop Management News for historical purposes only. Users are hereby notified that the content may be inaccurate, out of date, incomplete and/or may not meet the needs and requirements of the user. Users should make their own assessment of the information and whether it is suitable for their intended purpose. For current information on integrated crop management from Iowa State University Extension and Outreach, please visit <https://crops.extension.iastate.edu/>.

La Nina Diminishes

Abstract

The La Nina of the past several months as determined by the 90-day average Southern Oscillation Index (SOI) has ended. The SOI is a measure of the atmospheric pressure deviation from normal and directly influences meteorological conditions in numerous distant locations. The SOI diminished to 0.8 standard deviations on May 19, 2008.

Keywords

Agronomy

Disciplines

Agricultural Science | Agriculture | Agronomy and Crop Sciences | Climate | Meteorology

IOWA STATE UNIVERSITY
Extension and Outreach
Crops Knowledgebase



Search	Search
--------	--------

[Home](#)

Mailing Lists

Subscribe to ICM News updates and receive email alerts when new information is posted.

Your Email address *

subscribe	unsubscribe
-----------	-------------

ICM News

La Nina Diminishes

May 23, 2008

By Elwynn Taylor, Department of Agronomy

The La Nina of the past several months as determined by the 90-day average Southern Oscillation Index (SOI) has ended. The SOI is a measure of the atmospheric pressure deviation from normal and directly influences meteorological conditions in numerous distant locations. The SOI diminished to 0.8 standard deviations on May 19, 2008.

Although now in "neutral" condition, there is normally a time lag and risk associated with the La Nina though clearly reduced does not fully disappear at least for several weeks (often about 6 weeks). A significant number of (but by no means all) severe droughts in the Midwest are associated with La Nina.

Planting under less-than-favorable conditions tends to exacerbate the impact of subsequent hot and dry weather. Drought in the southeastern U.S. is often a precursor to

development of drought in the Corn Belt. The adverse factors do not make widespread drought likely for 2008 but below trend crop yields are and remain likely.

I will make my next computation of "most likely yield" during early June. At this time it appears that the previously estimated most likely yield of 142 bushels per acre for U.S. corn will be increase somewhat.

Elwynn Taylor is a professor with responsibilities for developing and implementing extension education and information programs in agricultural climatology.

Category:

Tags:

Author:



S Taylor *Professor*

~~Dr. S. Elwynn Taylor --- Agricultural Meteorologist

Dr. Taylor is well known for his analysis of weather influence on the Midwest. He is widely recognized for his clear explanations of the complexities of long-term weather variability. Dr. Taylor is the Extension Climatologis...

