

8-22-2005

What lies ahead for the CRP?

Mahdi Al-Kaisi

Iowa State University, malkaisi@iastate.edu

Follow this and additional works at: <http://lib.dr.iastate.edu/cropnews>



Part of the [Agricultural Science Commons](#), [Agriculture Commons](#), and the [Agronomy and Crop Sciences Commons](#)

Recommended Citation

Al-Kaisi, Mahdi, "What lies ahead for the CRP?" (2005). *Integrated Crop Management News*. 1404.
<http://lib.dr.iastate.edu/cropnews/1404>

The Iowa State University Digital Repository provides access to Integrated Crop Management News for historical purposes only. Users are hereby notified that the content may be inaccurate, out of date, incomplete and/or may not meet the needs and requirements of the user. Users should make their own assessment of the information and whether it is suitable for their intended purpose. For current information on integrated crop management from Iowa State University Extension and Outreach, please visit <https://crops.extension.iastate.edu/>.

What lies ahead for the CRP?

Abstract

The Conservation Reserve Program (CRP) has been a successful conservation program in Iowa. The CRP was established to protect highly erodible land by taking it out of crop production for 10 to 15 years. In Iowa there are approximately 1.9 million acres enrolled in the CRP program. Over the course of the next 5 years, more than 1.3 million acres with contracts will expire allowing the land to be converted into crop production or pasture if it is not re-enrolled.

Keywords

Agronomy

Disciplines

Agricultural Science | Agriculture | Agronomy and Crop Sciences



Pesticide Education

Storing fungicides safely

by Alison Robertson, Department of Plant Pathology, and Rich Pope, Department of Entomology

Growers who stocked up on fungicides for the 2005 growing season due to the threat of Asian soybean rust will likely be facing fungicide storage issues this winter, especially since it is likely that most products cannot be returned. The good news is that most fungicides have a shelf life of at least two years—and probably longer—assuming they are stored correctly. Optimum storage conditions are cool, dry conditions, away from sunlight. Storage temperatures should not go below freezing; however, if a fungicide does freeze, then slowly thaw it out at room temperature.

Read the label. Some formulations or products have special storage requirements that are printed on the label. Most liquid pesticides should not be stored at temperatures below 40 °F since low temperatures can cause the product to break down and/or the containers to break. Pesticides can separate during storage; therefore, they should be well agitated before they are added to the spray tank.

Other important points to ensure safe storage of fungicides (and all other pesticides) include:

1. Store each type of pesticide on a separate shelf or in a separate area. That is, herbicides should be stored away from insecticides; both should be stored away from fungicides.

2. Keep pesticides in their original packaging. Make sure the caps are tightened and that the containers are not cracked or leaking. Dispose of damaged containers according to the label recommendations.

3. Place opened containers in clear plastic bags or see-through plastic containers. This will allow for easy identification of products and also will contain leaks and help avoid accidental spills

4. Make sure that the original pesticide label is readable and attached to the product container. Do not store products with lost or illegible labels.

5. Write down the date of purchase or delivery on the label of each product. Use the open products and then the oldest products first.

6. Do not store flammable material with pesticides.

The above tips were compiled from Iowa State University (<http://www.extension.iastate.edu/Publications/RG205.pdf>), Cornell (<http://pmep.cce.cornell.edu/facts-slides-self/facts/gen-peapp-shelf-life.html>), and The Ohio State University (http://ohioline.osu.edu/b745/b745_11.html).

Alison Robertson is an assistant professor of plant pathology with extension and research responsibilities in field and forage crops. Rich Pope is an extension program specialist in entomology with responsibilities in integrated pest management and pesticide applicator training.



Announcements

What lies ahead for the CRP?

by Mahdi Al-Kaisi, Department of Agronomy

The Conservation Reserve Program (CRP) has been a successful conservation program in Iowa. The CRP was established to protect highly erodible land by taking it out of crop production for 10 to 15 years. In Iowa there are approximately 1.9 million acres enrolled in the CRP program. Over the course of the next 5 years, more than 1.3 million acres with contracts will expire allowing the land to be converted into crop production or pasture if it is not re-enrolled. Consideration and thoughtful planning need to be implemented prior to

putting these acres back in production to sustain the soil and environmental benefits that have been established over the past 10 years.

For more information on what lies ahead for the CRP, see <http://www.extension.iastate.edu/ilf/ILFnewsletters.htm>.

Mahdi Al-Kaisi is an assistant professor of agronomy with research and extension responsibilities in soil management and environmental soil science.