

7-15-2002

Flights of western bean cutworms increase

Marlin E. Rice

Iowa State University, merice@iastate.edu

Follow this and additional works at: <http://lib.dr.iastate.edu/cropnews>



Part of the [Agricultural Science Commons](#), [Agriculture Commons](#), and the [Entomology Commons](#)

Recommended Citation

Rice, Marlin E., "Flights of western bean cutworms increase" (2002). *Integrated Crop Management News*. 1835.
<http://lib.dr.iastate.edu/cropnews/1835>

The Iowa State University Digital Repository provides access to Integrated Crop Management News for historical purposes only. Users are hereby notified that the content may be inaccurate, out of date, incomplete and/or may not meet the needs and requirements of the user. Users should make their own assessment of the information and whether it is suitable for their intended purpose. For current information on integrated crop management from Iowa State University Extension and Outreach, please visit <https://crops.extension.iastate.edu/>.

Flights of western bean cutworms increase

Abstract

Trap catches of western bean cutworms increased during the first week of July. A blacklight trap operated by the Linn family north of Correctionville (east of Sioux City) collected 1 moth on June 30, 12 on July 4, 22 on July 5, 15 on July 6, and 17 on July 7. Todd Vagts, Iowa State University Extension field specialist-crops specialist, reports catching moths at Castana on July 5 and 8. Phred Linn reports that females are laying eggs in corn in Woodbury and Plymouth counties, and he has counted as many as 100 eggs on a single plant.

Keywords

Entomology

Disciplines

Agricultural Science | Agriculture | Entomology

INTEGRATED CROP MANAGEMENT

Flights of western bean cutworms increase

Trap catches of western bean cutworms increased during the first week of July. A blacklight trap operated by the Linn family north of Correctionville (east of Sioux City) collected 1 moth on June 30, 12 on July 4, 22 on July 5, 15 on July 6, and 17 on July 7. Todd Vagts, Iowa State University Extension field specialist-crops specialist, reports catching moths at Castana on July 5 and 8. Phred Linn reports that females are laying eggs in corn in Woodbury and Plymouth counties, and he has counted as many as 100 eggs on a single plant. Now is the time to be scouting cornfields for the eggs of this pest. See last week's *Integrated Crop Management* newsletter [article](#) [1] for details on economic thresholds, scouting suggestions, and insecticide options.

This article originally appeared on page 143 of the IC-488(17) -- July 15, 2002 issue.

Source URL:

<http://www.ipm.iastate.edu/ipm/icm//ipm/icm/2002/7-15-2002/wbcwflight.html>

Links:

[1] <http://www.ipm.iastate.edu/ipm/icm/2002/7-8-2002/wbeancutworm.html>

IOWA STATE UNIVERSITY
University Extension