

7-9-2002

Not many European corn borers in 2001

Marlin E. Rice

Iowa State University, merice@iastate.edu

Follow this and additional works at: <http://lib.dr.iastate.edu/cropnews>

 Part of the [Agricultural Science Commons](#), [Agriculture Commons](#), and the [Entomology Commons](#)

Recommended Citation

Rice, Marlin E., "Not many European corn borers in 2001" (2002). *Integrated Crop Management News*. 1905.
<http://lib.dr.iastate.edu/cropnews/1905>

The Iowa State University Digital Repository provides access to Integrated Crop Management News for historical purposes only. Users are hereby notified that the content may be inaccurate, out of date, incomplete and/or may not meet the needs and requirements of the user. Users should make their own assessment of the information and whether it is suitable for their intended purpose. For current information on integrated crop management from Iowa State University Extension and Outreach, please visit <https://crops.extension.iastate.edu/>.

Not many European corn borers in 2001

Abstract

Early indications are that the first-generation European corn borer is not an economic problem across most of Iowa. Exceptions have been reported from both sides of the state along the Missouri and Mississippi rivers. Jim Russmann (FS Growmark, Council Bluffs) reports fields with damaging populations in southwestern Iowa and I received another report of large numbers of borers in Clinton County in eastern Iowa. All non-Bt cornfields should be scouted during the first 2 weeks of July for larvae in the whorls. See the July 2, 2001, ICM newsletter for [scouting tips and economic thresholds for European corn borer](#).

Keywords

Entomology

Disciplines

Agricultural Science | Agriculture | Entomology

INTEGRATED CROP MANAGEMENT

Not many European corn borers in 2001

Early indications are that the first-generation European corn borer is not an economic problem across most of Iowa. Exceptions have been reported from both sides of the state along the Missouri and Mississippi rivers. Jim Russmann (FS Growmark, Council Bluffs) reports fields with damaging populations in southwestern Iowa and I received another report of large numbers of borers in Clinton County in eastern Iowa. All non-Bt cornfields should be scouted during the first 2 weeks of July for larvae in the whorls. See the July 2, 2001, ICM newsletter for scouting tips and economic thresholds for European corn borer [1].

This article originally appeared on page 141 of the IC-486(17) -- July 9, 2001 issue.

Source URL:

<http://www.ipm.iastate.edu/ipm/icm//ipm/icm/2001/7-9-2001/ecbstatus.html>

Links:

[1] <http://www.ipm.iastate.edu/ipm/icm/2001/7-2-2001/scoutecb.html>

IOWA STATE UNIVERSITY
University Extension