

2014

## Turf-type Tall Fescue Cultivar Study

Daniel J. Strey

*Iowa State University*, [dstrey@iastate.edu](mailto:dstrey@iastate.edu)

Nick E. Christians

*Iowa State University*, [nchris@iastate.edu](mailto:nchris@iastate.edu)

Follow this and additional works at: [http://lib.dr.iastate.edu/farms\\_reports](http://lib.dr.iastate.edu/farms_reports)



Part of the [Agricultural Science Commons](#), [Agriculture Commons](#), and the [Horticulture Commons](#)

---

### Recommended Citation

Strey, Daniel J. and Christians, Nick E., "Turf-type Tall Fescue Cultivar Study" (2014). *Iowa State Research Farm Progress Reports*. 1998.  
[http://lib.dr.iastate.edu/farms\\_reports/1998](http://lib.dr.iastate.edu/farms_reports/1998)

This report is brought to you for free and open access by Iowa State University Digital Repository. It has been accepted for inclusion in Iowa State Research Farm Progress Reports by an authorized administrator of Iowa State University Digital Repository. For more information, please contact [digirep@iastate.edu](mailto:digirep@iastate.edu).

---

# Turf-type Tall Fescue Cultivar Study

## **Abstract**

The National Turfgrass Evaluation Program (NTEP) conducts trials throughout the United States on turfgrass adaptation. This trial was established in September 2012 as a part of the NTEP program. Data will be collected over the next five years. This was the first year data was collected on this trial. It contained 16 turf-type tall fescue cultivars.

## **Keywords**

Horticulture, Turfgrass

## **Disciplines**

Agricultural Science | Agriculture | Horticulture

## Turf-type Tall Fescue Cultivar Study

### RFR-A1333

Dan Strey, research associate  
Nick Christians, university professor  
Department of Horticulture

#### Introduction

The National Turfgrass Evaluation Program (NTEP) conducts trials throughout the United States on turfgrass adaptation. This trial was established in September 2012 as a part of the NTEP program. Data will be collected over the next five years. This was the first year data was collected on this trial. It contained 16 turf-type tall fescue cultivars.

#### Materials and Methods

The individual plots measure 5 ft × 5 ft and the study was replicated three times. Quality ratings were conducted monthly in 2013. Ratings were based on a scale of 9=best quality and 1=lowest quality. A rating of six

or above was considered to be acceptable. The plots were irrigated to ensure establishment. Over the next four years, the plots will only be irrigated to prevent dormancy.

#### Results and Discussion

Table 1 contains turf quality ratings for the 2013 season. The mean quality rating was calculated for each cultivar. There were significant differences in the mean quality ratings for the year. We will continue to take data for four more years. The data also is submitted to NTEP each year and it will be included in their yearly report with data from all of the other states that are conducting this trial. Their data can be found at ntep.org.

#### Acknowledgements

Appreciation is extended to the NTEP organization for funding to conduct this project.

**Table 1. Turf-type tall fescue quality ratings.**

| No. | Cultivar    | Quality |      |      |     |      |     | Mean Q |
|-----|-------------|---------|------|------|-----|------|-----|--------|
|     |             | May     | June | July | Aug | Sept | Oct |        |
| 1   | Terrano     | 5.3     | 5.7  | 6.7  | 7.0 | 6.7  | 7.0 | 6.4    |
| 2   | Ky-31       | 5.3     | 5.7  | 6.0  | 6.0 | 6.0  | 6.0 | 5.8    |
| 3   | Regenerate  | 6.3     | 6.3  | 7.7  | 7.7 | 8.0  | 7.7 | 7.3    |
| 4   | Fesnova     | 4.7     | 6.0  | 7.0  | 6.3 | 7.0  | 7.0 | 6.3    |
| 5   | ZW 44       | 4.7     | 4.7  | 6.3  | 6.3 | 7.3  | 7.3 | 6.1    |
| 6   | W45         | 5.0     | 5.3  | 6.0  | 6.3 | 7.0  | 7.3 | 6.2    |
| 7   | U43         | 5.3     | 5.7  | 6.3  | 6.7 | 7.3  | 7.0 | 6.4    |
| 8   | LSD         | 5.0     | 6.0  | 6.7  | 6.7 | 7.0  | 7.3 | 6.4    |
| 9   | Aquaduct    | 4.3     | 5.7  | 6.0  | 6.0 | 6.7  | 6.7 | 5.9    |
| 10  | Catalyst    | 6.3     | 6.7  | 7.3  | 7.7 | 7.3  | 7.3 | 7.1    |
| 11  | Marauder    | 4.3     | 4.7  | 5.3  | 5.3 | 6.3  | 6.3 | 5.4    |
| 12  | Warhawk     | 5.3     | 5.3  | 6.3  | 6.3 | 6.7  | 6.3 | 6.1    |
| 13  | Annihilator | 4.7     | 5.7  | 6.3  | 6.3 | 6.7  | 6.3 | 6.0    |

**Table 1. Turf-type tall fescue quality ratings (continued).**

| No. | Cultivar      | Quality |      |      |     |      |     | Mean Q |
|-----|---------------|---------|------|------|-----|------|-----|--------|
|     |               | May     | June | July | Aug | Sept | Oct |        |
| 14  | Comp. Res.    | 4.0     | 5.0  | 6.0  | 6.0 | 6.3  | 6.7 | 5.7    |
| 15  | 204 Res. Blk4 | 5.3     | 6.3  | 6.3  | 6.3 | 7.0  | 6.7 | 6.3    |
| 16  | JS 819        | 4.7     | 5.7  | 6.0  | 6.7 | 7.0  | 6.7 | 6.1    |
| 17  | JS 818        | 5.3     | 6.3  | 6.7  | 7.0 | 6.7  | 7.0 | 6.5    |
| 18  | JS 809        | 5.0     | 6.0  | 6.3  | 6.7 | 7.3  | 7.7 | 6.5    |
| 19  | JS 916        | 4.7     | 5.0  | 5.3  | 6.0 | 6.7  | 6.3 | 5.7    |
| 20  | JS 825        | 5.3     | 6.7  | 7.3  | 7.0 | 7.0  | 7.0 | 6.7    |
| 21  | MET 1         | 4.7     | 6.0  | 6.0  | 7.3 | 7.7  | 7.3 | 6.5    |
| 22  | F711          | 5.3     | 5.7  | 6.3  | 6.7 | 7.0  | 7.0 | 6.3    |
| 23  | IS-TF 291     | 5.0     | 6.0  | 5.7  | 6.7 | 7.3  | 7.0 | 6.3    |
| 24  | IS-TF 276 M2  | 6.0     | 5.7  | 6.7  | 6.7 | 7.3  | 7.0 | 6.6    |
| 25  | IS-TF 305 SEL | 5.0     | 5.7  | 6.0  | 6.7 | 6.3  | 6.3 | 6.0    |
| 26  | IS-TF 269 SEL | 5.0     | 5.7  | 5.3  | 6.3 | 7.0  | 6.7 | 6.0    |
| 27  | IS-TF 282 M2  | 4.0     | 4.7  | 5.0  | 5.7 | 6.0  | 6.3 | 5.3    |
| 28  | IS-TF 284 M2  | 3.7     | 4.7  | 5.7  | 6.3 | 7.0  | 6.7 | 5.7    |
| 29  | OR-21         | 5.3     | 6.0  | 6.0  | 6.3 | 7.3  | 7.3 | 6.4    |
| 30  | TY 10         | 4.3     | 5.3  | 5.3  | 6.0 | 6.7  | 7.0 | 5.8    |
| 31  | Exp TF-09     | 5.3     | 6.0  | 6.7  | 7.3 | 7.0  | 7.3 | 6.6    |
| 32  | SRX-TPC       | 5.3     | 6.3  | 6.3  | 6.7 | 7.3  | 7.0 | 6.5    |
| 33  | PSG-WE1       | 4.0     | 5.0  | 5.7  | 6.0 | 7.0  | 6.7 | 5.7    |
| 34  | Pick-W43      | 5.0     | 5.7  | 6.3  | 7.0 | 7.3  | 7.7 | 6.5    |
| 35  | Grade 3       | 5.0     | 6.0  | 6.0  | 6.3 | 7.3  | 7.3 | 6.3    |
| 36  | PSG-PO1       | 4.0     | 4.7  | 5.7  | 6.7 | 6.7  | 6.7 | 5.7    |
| 37  | U45           | 5.0     | 5.7  | 6.0  | 6.7 | 7.0  | 6.7 | 6.2    |
| 38  | B23           | 5.0     | 5.7  | 7.0  | 7.3 | 7.3  | 7.0 | 6.6    |
| 39  | ATF 1612      | 4.7     | 5.3  | 6.3  | 6.3 | 7.0  | 7.0 | 6.1    |
| 40  | ATF 1704      | 5.0     | 5.3  | 6.3  | 6.0 | 6.7  | 7.0 | 6.1    |
| 41  | Burl TF-2     | 5.3     | 5.7  | 6.3  | 6.3 | 8.0  | 7.0 | 6.4    |
| 42  | Burl TF-136   | 5.3     | 5.7  | 6.0  | 6.7 | 7.3  | 7.7 | 6.4    |
| 43  | LTP-FSD       | 5.0     | 6.0  | 6.7  | 7.0 | 7.0  | 7.0 | 6.4    |
| 44  | LTP-TWUU      | 5.3     | 6.0  | 6.3  | 7.0 | 7.3  | 7.7 | 6.6    |
| 45  | LTP-F5DPDR    | 4.3     | 4.7  | 6.0  | 6.7 | 7.0  | 7.0 | 5.9    |
| 46  | IS-TF 289     | 4.7     | 5.3  | 6.7  | 7.0 | 7.3  | 7.3 | 6.4    |
| 47  | MET 6 SEL     | 4.0     | 5.0  | 5.7  | 6.3 | 6.7  | 6.7 | 5.7    |
| 48  | IS-TF 330     | 4.0     | 5.0  | 5.7  | 5.7 | 7.0  | 6.7 | 5.7    |
| 49  | TF-287        | 5.0     | 5.3  | 6.0  | 6.0 | 6.3  | 6.7 | 5.9    |
| 50  | IS-TF 307 SEL | 4.7     | 5.0  | 5.7  | 6.0 | 7.0  | 6.7 | 5.8    |
| 51  | IS-TF 308 SEL | 4.0     | 4.7  | 5.7  | 6.0 | 6.7  | 6.7 | 5.6    |
| 52  | IS-TF 311     | 4.0     | 4.7  | 5.0  | 5.3 | 6.7  | 6.3 | 5.3    |
| 53  | IS-TF 285     | 4.7     | 5.0  | 5.7  | 6.0 | 6.7  | 6.7 | 5.8    |
| 54  | IS-TF 310 SEL | 3.7     | 5.0  | 5.3  | 5.3 | 6.0  | 6.0 | 5.2    |
| 55  | IS-TF 272     | 4.3     | 5.0  | 5.7  | 6.0 | 7.0  | 6.7 | 5.8    |
| 56  | ATF 1736      | 4.3     | 5.0  | 6.0  | 7.0 | 7.3  | 6.7 | 6.1    |
| 57  | ATF 1754      | 5.3     | 6.3  | 7.0  | 6.3 | 7.3  | 7.7 | 6.7    |

**Table 1. Turf-type tall fescue quality ratings (continued).**

| No. | Cultivar   | Quality |      |      |     |      |     |        |
|-----|------------|---------|------|------|-----|------|-----|--------|
|     |            | May     | June | July | Aug | Sept | Oct | Mean Q |
| 58  | Hemi       | 4.3     | 5.3  | 5.7  | 6.3 | 7.0  | 7.0 | 5.9    |
| 59  | Firebird 2 | 5.3     | 5.3  | 6.0  | 6.3 | 6.7  | 6.3 | 6.0    |
| 60  | Bullseye   | 5.3     | 5.7  | 6.0  | 6.7 | 7.3  | 7.0 | 6.3    |
| 61  | PST-5EV2   | 4.3     | 5.7  | 6.3  | 6.7 | 7.3  | 7.0 | 6.2    |
| 62  | PST-5GRB   | 5.0     | 5.7  | 6.3  | 6.7 | 7.0  | 7.0 | 6.3    |
| 63  | PST-5SALT  | 5.7     | 5.7  | 6.7  | 6.7 | 7.0  | 7.3 | 6.5    |
| 64  | PST-5SDT   | 5.7     | 6.3  | 6.7  | 7.0 | 7.0  | 6.7 | 6.6    |
| 65  | PST-5DZP   | 4.0     | 4.7  | 5.3  | 5.7 | 6.0  | 6.3 | 5.3    |
| 66  | PST-5RO5   | 4.3     | 5.0  | 6.0  | 6.0 | 6.7  | 6.7 | 5.8    |
| 67  | PST-5BPO   | 5.7     | 6.7  | 7.0  | 7.0 | 6.7  | 7.3 | 6.7    |
| 68  | PST-5BRK   | 5.0     | 6.0  | 7.0  | 6.7 | 7.3  | 7.0 | 6.5    |
| 69  | DB1        | 4.7     | 5.0  | 6.3  | 6.0 | 6.7  | 6.7 | 5.9    |
| 70  | RZ2        | 5.0     | 5.3  | 6.0  | 6.3 | 7.0  | 7.0 | 6.1    |
| 71  | TD1        | 5.7     | 5.7  | 6.3  | 6.3 | 7.7  | 7.0 | 6.4    |
| 72  | DZ1        | 5.0     | 5.7  | 6.0  | 6.7 | 7.0  | 7.7 | 6.3    |
| 73  | T31        | 4.0     | 4.7  | 5.0  | 6.0 | 6.3  | 6.3 | 5.4    |
| 74  | PSG-GSD    | 5.3     | 6.0  | 6.7  | 7.3 | 7.0  | 7.0 | 6.6    |
| 75  | PSG-8BP2   | 4.3     | 5.0  | 6.3  | 6.3 | 6.3  | 6.7 | 5.8    |
| 76  | PSG-TT4    | 4.3     | 5.0  | 6.0  | 6.3 | 6.3  | 6.7 | 5.8    |
| 77  | Faith      | 5.3     | 5.3  | 5.7  | 6.3 | 7.0  | 7.0 | 6.1    |
| 78  | K12-13     | 3.7     | 4.0  | 4.3  | 4.7 | 6.0  | 6.0 | 4.8    |
| 79  | K12-05     | 3.7     | 4.3  | 5.3  | 5.7 | 6.0  | 6.7 | 5.3    |
| 80  | PPG-TF-156 | 4.7     | 5.3  | 5.7  | 6.0 | 6.3  | 6.7 | 5.8    |
| 81  | PPG-TF-157 | 6.0     | 5.7  | 6.7  | 6.3 | 7.0  | 7.3 | 6.5    |
| 82  | PPG-TF-169 | 5.3     | 5.3  | 6.3  | 7.0 | 7.3  | 7.0 | 6.4    |
| 83  | PPG-TF-170 | 5.3     | 5.7  | 6.0  | 6.3 | 6.7  | 6.3 | 6.1    |
| 84  | PPG-TF-137 | 6.0     | 6.0  | 6.7  | 7.3 | 7.0  | 7.7 | 6.8    |
| 85  | PPG-TF-135 | 5.0     | 5.3  | 6.0  | 6.7 | 7.0  | 7.3 | 6.2    |
| 86  | PPG-TF-115 | 3.0     | 4.7  | 5.3  | 5.7 | 6.0  | 6.3 | 5.2    |
| 87  | PPG-TF-105 | 6.0     | 6.0  | 7.0  | 7.0 | 7.3  | 7.0 | 6.7    |
| 88  | PPG-TF-172 | 4.7     | 5.0  | 6.0  | 6.3 | 6.7  | 7.0 | 5.9    |
| 89  | PPG-TF-151 | 5.0     | 5.7  | 6.3  | 6.7 | 6.7  | 6.7 | 6.2    |
| 90  | PPG-TF-152 | 4.3     | 5.3  | 6.0  | 5.7 | 6.7  | 7.0 | 5.8    |
| 91  | PPG-TF-148 | 4.3     | 5.3  | 5.7  | 6.7 | 6.3  | 6.3 | 5.8    |
| 92  | PPG-TF-150 | 5.0     | 5.7  | 6.0  | 6.3 | 7.7  | 7.0 | 6.3    |
| 93  | Bizem      | 5.0     | 5.3  | 6.3  | 6.7 | 7.0  | 6.7 | 6.2    |
| 94  | CCR2       | 4.7     | 5.7  | 6.3  | 6.7 | 7.0  | 7.3 | 6.3    |
| 95  | MET-3      | 4.7     | 5.0  | 6.0  | 6.3 | 7.0  | 6.7 | 5.9    |
| 96  | W41        | 5.3     | 6.3  | 7.0  | 7.0 | 6.7  | 7.0 | 6.6    |
| 97  | PPG-TF-145 | 4.3     | 5.0  | 5.3  | 6.0 | 6.3  | 6.3 | 5.6    |
| 98  | PPG-TF-138 | 3.7     | 4.7  | 5.7  | 6.3 | 6.3  | 6.0 | 5.4    |
| 99  | PPG-TF-139 | 5.3     | 5.0  | 6.3  | 6.3 | 7.0  | 7.0 | 6.2    |
| 100 | PPG-TF-142 | 3.7     | 5.0  | 5.3  | 6.0 | 6.7  | 6.3 | 5.5    |
| 101 | RAD-TF-89  | 5.0     | 5.7  | 5.3  | 6.0 | 7.0  | 7.0 | 6.0    |

**Table 1. Turf type tall fescue quality ratings (continued).**

| No. | Cultivar      | Quality |      |      |     |      |     | Mean Q |
|-----|---------------|---------|------|------|-----|------|-----|--------|
|     |               | May     | June | July | Aug | Sept | Oct |        |
| 102 | RAD-TF-92     | 4.3     | 5.3  | 6.3  | 6.3 | 7.0  | 7.0 | 6.1    |
| 103 | GO-DFR        | 4.7     | 5.7  | 6.3  | 6.3 | 7.0  | 7.0 | 6.2    |
| 104 | K12-MCD       | 6.0     | 6.7  | 7.0  | 7.7 | 8.0  | 7.7 | 7.2    |
| 105 | PST-5EX2      | 5.0     | 5.3  | 6.0  | 6.7 | 7.0  | 7.0 | 6.2    |
| 106 | PST-5MVD      | 5.0     | 6.0  | 6.0  | 7.0 | 6.7  | 7.0 | 6.3    |
| 107 | RAD-TF-83     | 4.3     | 4.3  | 4.7  | 5.3 | 6.0  | 6.0 | 5.1    |
| 108 | RAD-TF-88     | 4.3     | 5.3  | 5.3  | 6.0 | 7.0  | 6.7 | 5.8    |
| 109 | BAR Fa 120878 | 4.3     | 5.3  | 6.0  | 6.0 | 6.7  | 6.0 | 5.7    |
| 110 | BAR Fa 121089 | 4.3     | 5.0  | 5.7  | 6.0 | 6.7  | 6.3 | 5.7    |
| 111 | BAR Fa 121091 | 4.0     | 5.0  | 5.3  | 5.7 | 6.7  | 6.7 | 5.6    |
| 112 | BAR Fa 121095 | 4.7     | 5.3  | 5.7  | 6.0 | 6.3  | 6.7 | 5.8    |
| 113 | PST-R5NW      | 4.7     | 5.7  | 6.0  | 6.3 | 7.0  | 6.7 | 6.1    |
| 114 | Burl TF-69    | 4.7     | 5.0  | 5.3  | 6.0 | 6.3  | 6.7 | 5.7    |
| 115 | Falcon IV     | 5.7     | 6.7  | 6.7  | 7.0 | 7.3  | 7.0 | 6.7    |
| 116 | Falcon V      | 4.0     | 5.0  | 5.7  | 7.0 | 7.3  | 7.0 | 6.0    |
|     | LSD 0.05      | 1.5     | 1.4  | 1.3  | 1.2 | 1.1  | NS  | 1.0    |

Quality rated on a 1 to 9 scale with 9=best quality, 1=lowest quality, and 6=lowest commercially acceptable.