

2014

Northwest Farm Summary

Northwest Research Farm and Allee Demonstration Farm

Joshua L. Sievers

Iowa State University, sieversj@iastate.edu

Lyle T. Rossiter

Iowa State University, ltross@iastate.edu

Follow this and additional works at: http://lib.dr.iastate.edu/farms_reports



Part of the [Agricultural Science Commons](#), and the [Agriculture Commons](#)

Recommended Citation

Northwest Research Farm and Allee Demonstration Farm; Sievers, Joshua L.; and Rossiter, Lyle T., "Northwest Farm Summary" (2014). *Iowa State Research Farm Progress Reports*. 2063.

http://lib.dr.iastate.edu/farms_reports/2063

This report is brought to you for free and open access by Iowa State University Digital Repository. It has been accepted for inclusion in Iowa State Research Farm Progress Reports by an authorized administrator of Iowa State University Digital Repository. For more information, please contact digirep@iastate.edu.

Northwest Farm Summary

Abstract

Contents: Northwest Iowa Experimental Association, 2013–2014; Northwest Research Farm Summary; Projects at Sutherland; Allee Demonstration Farm Summary

Keywords

RFR 1364

Disciplines

Agricultural Science | Agriculture

Northwest Farm Summary

RFR-A1364

Northwest Iowa Experimental Association

2013–2014

Executive Board

President.....	Brian Waldstein, Buena Vista County
Vice President.....	William Foell, Sac County
Secretary.....	Joel DeJong, ISU Field Agronomist
Treasurer.....	Chad Schwartz, O'Brien County
Executive Committee.....	Rodney Mogler, Lyon County
Executive Committee.....	Don Belson, Ida County
Executive Committee.....	Jerry Crew, Clay County

Directors

Buena Vista.....	Brian Waldstein, Jim Hultgren
Cherokee.....	Bruce Amundson, Tom Bindner
Clay.....	Jerry Crew, Roger Nelson
Ida.....	Don Belson, Dale Friedrichsen
Lyon.....	Rodney Mogler, Bob Ladd
O'Brien.....	Kirk Struve, Chad Schwartz
Osceola.....	Dave Rossman, Gary Trei
Plymouth.....	Jeff Jonas, Luke Homan
Sac.....	William Foell
Sioux.....	Marvin Van't Hul, Mike Schouten

Research and Demonstration Farms

Superintendent, Northwest.....	Josh Sievers
Agricultural Specialist, Northwest.....	Chad Huffman
Superintendent, Allee.....	Lyle Rossiter
Manager, Research Farms.....	Tim Goode
	103 Curtiss
Coordinator, Research Farms.....	Mark Honeyman
	103 Curtiss
	Iowa State University
	Ames, IA 50011

Northwest Research Farm Summary

Josh Sievers, farm superintendent

Farm Comments

Developments. Chad Huffman was hired in February as an agricultural specialist to manage plots at the research farm. Over 31,500 feet of tile was installed in July to begin a 40-acre experiment with 32 plots that measured tile water quality. A number of machinery upgrades took place in 2013. A new 70 horsepower Kubota tractor was purchased to replace a 1972 Ford 2000 gas tractor. A new Schulte Batwing was added to the fleet to replace a stalk cutter and mower. Integrated auto steer with an Ag Leader Integra display was added to the existing John Deere 7420 tractor. Dawn Gfx hydraulic adjust row cleaners were added to the Kinze 3500 planter. Two 300-gallon 3-point mounted sprayers also were added to replace the John Deere 6000 sprayer.

Field days and tours. The ISU Northwest Research Farm hosted 10 field days with a total of 1,464 visitors. The events ranged from 4-H camps to private industry field days. The summer field day topics discussed were weather patterns and climate, soil erosion, weed management, and soil surface runoff. The fall field day was held in conjunction with Dordt College, Sioux Center, Iowa. Topics discussed were a corn root pit, managing weed resistance, corn rootworm resistance, and implementing cover crops.

A total of 33 projects were conducted at the research farm. There were 57 projects coordinated through the ISU Farmer Assisted Research and Management (FARM) program in northwest Iowa.

New projects. Soybean cyst nematode × soybean aphid interaction, Mike McCarville; Soybean fungicide comparison, Daren Mueller

and Stith Wiggs; Honeybee interaction with seed corn treatments, Mary Harris; Cover crop seeding, Practical Farmers of Iowa; Rescue weed control in soybeans, NWRP Staff; Planting date demonstrations, Pioneer Hi-Bred.

Crop Season Comments

Corn yields averaged 202 bushels/acre across the farm. Yields were much better than expected given the growing season conditions. Corn planting began on May 13 and was completed on May 16. Late April and early May weather proved to be very wet and made for a challenging spring. Corn harvest began on October 24 and ended on November 4.

Soybean yields averaged 60 bushels/acre. Soybean planting began on May 23 and ended on June 22. Due to the rainfall pattern, the soybean planting date was a very spotty window. Soybean aphids reached above economic thresholds and were treated with a foliar insecticide. A 10-bushel average difference in yield was noted from the early-planted soybeans to the late-planted soybeans. Soybean harvest began on October 1 and ended on October 21.

Weather Comments

Spring 2013. Cool temperatures, precipitation, and late-season snow delayed corn planting until mid-May. The precipitation continued through May and early June and allowed very brief opportunities to plant soybeans in optimal soil conditions. On May 25–26, a hard 7-in. rain fell. Large amounts of soil and residue were washed on to roadways and turn alleys. Corn plants took the rain better than the soybeans. The large amount of precipitation and the warm weather that ensued created a hard surface crust that required several rotary hoeings to break up.

Summer 2013. The rain spell that plagued the spring came to a quick stop. Very low rainfall in July stressed both corn and soybeans.

August rainfall kept the crop sustained. The research farm was very fortunate to receive 5.16 in. of rain in August. Concerns of an early frost were noted due to unseasonable cool temperatures in July and August. Late August and early September brought warm temperatures and allowed the crops to reach physiological maturity. Many farmers noticed the weed escapes were extremely high this year. Water hemp and marestail were resistant to repeated glyphosate applications.

Fall 2013. Cool temperatures again returned. Late October did not bring warm temperatures to allow grain to dry down. Most of the soybeans delivered to market were in the 12.5–13.0 percent moisture range, whereas the corn was 19–23 percent. Yields were better than expected given the wet and delayed

planting season, dry and warm growing season, and cool and wet harvest season.

Acknowledgements

The ISU Northwest Research Farm staff would like to thank the Northwest Iowa Experimental Association for their support and guidance. We extend our appreciation to the ISU researchers and Extension and Outreach staff for their support and guidance throughout the growing season. Appreciation also is extended to our agri-business partners listed below for their financial or in-kind support of the research farm and the ISU FARM project.

Pioneer Hi-Bred
Security State Bank
Farm Bureau, Sioux County
Iowa Soybean Association
Greenspire Global, Inc.
BASF

Table 1. Northwest Research and Demonstration Farm, Sutherland, Iowa, monthly rainfall and average temperatures for 2013.

Month	Rainfall (in.)		Temperature (°F)		
	2013	Deviation from normal	2013	Deviation from normal	Days 90° or above
April	4.20	1.61	40.1	5.0	0
May	10.35	6.47	51.1**	-8.0	1
June	3.92	-0.69	72.5**	3.7	1
July	0.62	-2.89	71.8	-1.3	5
August	5.16	1.26	70.4	-1.7	9
September	0.65	-2.58	65.4	4.3	0
October	2.76	0.66	48.5	-0.3	0
Totals	27.66				16

Projects at Sutherland

Research Project

Asparagus variety trial
 Corn aphid threshold study
 Corn burner as primary shop heat
 Corn fungicide efficacy × timing
 Corn planting date
 Corn rootworm trap crop
 Cover crop seeding trial
 Demonstration Garden, Rock Rapids
 Demonstration windbreak
 Goldenrod flowering × climate change
 Herbicide comparison demonstration
 Honeybee interaction with seed treatments
 Long-term nitrogen rate study
 Long-term rotation study
 Long-term tillage and carbon sequestration
 Micronutrient application, foliar applied
 Micronutrient application, in-furrow applied
 Miscanthus establishment evaluation
 No-till cover crop × nitrogen rate
 Phosphorus in beef manure
 Rescue weed treatments
 Soybean aphid efficacy trial
 Soybean aphid pan trap
 Soybean aphid suction trap
 Soybean fungicide × insecticide interaction
 Soybean fungicide comparison
 Soybean cyst nematode × soybean aphid interaction
 Surface runoff study
 Tillage × fertilizer placement study
 Tile water quality study
 Tree biomass and regrowth potential
 Water table monitoring
 Weather station

Project Leader

NWRF Staff
 E. Hodgson
 NWRF Staff
 A. Robertson
 NWRF Staff
 A. Gassman
 Practical Farmers of Iowa
 C. Haynes
 J. Randall
 J. Etersson
 P. Kassel
 M. Harris
 J. Sawyer
 G. Munkvold
 M. Al-Kaisi
 A. Mallarino
 A. Mallarino
 E. Heaton
 J. Sawyer
 A. Mallarino
 NWRF Staff
 E. Hodgson
 M. O'Neal
 M. O'Neal
 D. Mueller
 D. Mueller
 M. McCarville
 A. Mallarino and M. Helmers
 A. Mallarino
 M. Helmers
 J. Randall and R. Hall
 NRCS
 NWRF Staff

Allee Demonstration Farm Summary

Lyle Rossiter, farm superintendent

Farm Comments

Developments. The implementation of the FARM (Farmer Assisted Research and Management) program continues in 27 Iowa counties. FARM staff assisted individual farmers in setting up field-length research and grain data for statistical analysis. Extension crop specialist Paul Kassel and farm superintendent Lyle Rossiter assisted five farmers with six field projects.

Field days and tours. An alternative livestock production and marketing meeting was held in August. Topics were finished grass-grazed beef, alternative farrowing systems, and niche marketing. Pete Lammers, professor, Illinois State University, and David Stender, ISU Extension field specialist, provided informative results and led the discussions.

The Allee Farm hosted Ag-Citing Days with topics of soil science, wind turbines, amazing corn, global positioning satellite, Buzzing with Bee's, and 4-H youth presenting talks on their live beef, goat, rabbit, and swine projects to 348 fourth grade students from Buena Vista County. The Corn Growers Association and Farm Bureau provided funding and food for the event. A corn maze with the word "honey" and in the shape of a "bee" was enjoyed by all of the students and guests.

The Buena Vista special swine class included 38 participants who gained swine production knowledge, herdsmanship, and showmanship techniques at the Allee Farm. With the experience, each participant purchased, showed, and marketed four market pigs at the county fair in July for a total of 152 pigs.

The Allee Farm appreciates the community support and the opportunity to be an

educational site for all ages and families. A total of 945 guests visited the farm. The Allee Historical Mansion entertained 802 guests in 2013.

New projects. Two honeybee hives were placed on a grass strip on the farm this spring. Small plastic square grids were placed in front of the beehive entrance. As the bees entered the hive, pollen was scraped off on the grid. Mary Harris, adjunct assistant professor, ISU Natural Resource Ecology and Management, and staff changed the grids weekly and examined the pollen in the lab. Honeybees are an important industry for honey production and efficient pollinators for many plant species. One-third of the food we eat relies on insect pollination.

A new advanced automated weather station was installed this fall in the northwest corner of the farm. Data collected will continue to be available as part of the ISU Mesonet at mesonet.agron.iastate.edu under Iowa Ag Climate Network. The soil probes will monitor soil moisture and temperature at 12-, 24-, and 50-in. depths.

Livestock. The ISU Allee Farm continues to feed and collect data from steers and heifers of the purebred Angus cowherd at the ISU McNay Research Farm, Chariton, Iowa. A second year alternative farrowing project was conducted, farrowing four gilts twice a year in a round 20-ft canvas shelter called a "Yurt." The first three groups of farrowed pigs, averaged 8.25 pigs per sow, weaned at 45 days.

Crop Season Comments

Corn was planted May 14–15. Harvest was completed on November 1 with average yields of 158 bushels/acre.

Soybean planting was finished May 24. Harvest was completed October 17 with average yields of 44 bushels/acre.

Weather Comments

Winter. January had scattered snow showers with little accumulation and above average temperatures. February was mild with little moisture—.26 in. Dry conditions continued into March with 0.50 in. of moisture and normal temperatures.

Spring. April showers broke the dry spell for a total monthly precipitation of 3.01 in. Farmers started planting corn the last week of April. On May 2, six inches of snow stopped corn planting. The second week was dry for planting and the third week rains created wet soil conditions for the rest of May. May's monthly precipitation was 6.07 in.

Summer. Rains lessened in June to finish planting most of the corn and soybeans. July turned dry, with only 0.13 in. of moisture. A few farmers were still planting soybeans in the second week of the month. July's temperatures were normal with one day above 90 degrees. Corn and soybeans suffered drought conditions with shallow roots. August rains of less than one inch created drought conditions, and plant roots found moisture in the lower soil profile.

Fall. September was dry with 0.35 in. of rainfall. Lower than average temperatures allowed corn and soybeans to fill. October rains totaled 0.95 in. A late killing frost on October 24 allowed soybeans and corn crops to mature.

Acknowledgements

The farm would like to thank the Newell-Fonda Community School, ISU FARM staff, Newell Cooperative, ISU Extension, and Iowa Corn Growers Association for their assistance with field days and events.