IOWA STATE UNIVERSITY Digital Repository

Extension and Outreach Publications

Extension and Outreach

3-2017

Creating Random Points

Bailey A. Hanson Iowa State University, bahanson@iastate.edu

Christopher Seeger *Iowa State University*, cjseeger@iastate.edu

Follow this and additional works at: http://lib.dr.iastate.edu/extension_pubs Part of the <u>Architectural Technology Commons</u>, <u>Landscape Architecture Commons</u>, <u>Other</u> <u>Architecture Commons</u>, and the <u>Urban</u>, <u>Community and Regional Planning Commons</u>

Recommended Citation

Hanson, Bailey A. and Seeger, Christopher, "Creating Random Points" (2017). *Extension and Outreach Publications*. 136. http://lib.dr.iastate.edu/extension_pubs/136

Iowa State University Extension and Outreach publications in the Iowa State University Digital Repository are made available for historical purposes only. Users are hereby notified that the content may be inaccurate, out of date, incomplete and/or may not meet the needs and requirements of the user. Users should make their own assessment of the information and whether it is suitable for their intended purpose. For current publications and information from Iowa State University Extension and Outreach, please visit http://www.extension.iastate.edu.

IOWA STATE UNIVERSITY Extension and Outreach

Creating Random Points

Welcome to the Essential ArcGIS Task Sheet Series. This series supplements the Iowa State University Geospatial Technology Training Program short course series. The task sheets are designed to provide quick, easy instructions for performing mapping tasks.

In ArcMap, the Create Random Points tool creates a specified number of random point features. Random points can be generated in an extent window, inside polygon features, on point features, or along line features. For information on creating random values in an attribute table, reference *Field Calculations: Creating Random Values* **PM2082-17e**. This task sheet will demonstrate using the Create Random Points tool in ArcMap to create random points within a selected watershed, that could be used for sampling, modeling or analysis.

1. Getting Started

- a. To download the data used in this task sheet, navigate to <u>www.extension.iastate.edu/</u> <u>communities/gis/quicktasksheets/data</u> and click on the publication number: **PM2082-17e**. All files originate from the Iowa DNR NRGIS Library (<u>https://programs.iowadnr.gov/nrgislibx/</u>).
- b. When the download is complete, unzip the folder and move the files to a directory you can access in ArcMap. Open the **Stream_watersheds.shp** in a new blank ArcMap document.

2. Selecting a Feature

- a. For this tutorial we are interested in creating random points within the boundary of the Raccoon River watershed. To generate random points within one selected feature of the Stream_watersheds.shp shapefile (or any selected polygon area) that area of interest first needs to be selected before running the tool.
- b. Select the feature you are interested in by using the Select by Attribute tool. Alternatively, you can select the feature from the attribute table, or use the in the Select Element tool from the Standard Toolbar and click on the map feature to select it.
- c. To use the Select by Attribute tool, click
 Selection > Select by Attribute. Double click on "Stream", the equals symbol (=), and "Raccoon River". Make sure your query looks like this:
 "Stream" = 'Raccoon River'.





ArcGIS 10.4+

3. Creating Random Points Tool

- a. In **ArcToolbox**, open the **Create Random Points** tool by expanding the **Data Management Tools** toolbox, then opening the **Sampling** toolbox.
- b. Within the Create Random Points tool, set the Output Location folder to the location of your choice. Under Output Point Feature Class, type in the name of RandomPts.
- c. Set the **Constraining Feature Class** to **Streams_ watershed.shp**. Note: because we have a feature selected from this shapefile, the tool will use the selected feature instead of the extent of the entire shapefile. Also, keep in mind that random points can be created within a constraining extent, on point features, or along line features.
- d. Optionally, you can set the number of points you would liked randomly generated, as well as the minimum distance allowed between points. In this case, I set the Number of Points to 100, and the Minimum Allowed Distance to 10 meters. Meaning none of the random points generated can be closer than 10 meters apart. Click OK to run the tool.
- e. When the tool is complete, the random points will be added to your map document. Open the attribute table for **RandomPts.shp**. You can see there are 100 features in the attribute table.
- f. Refer to the task sheet Field Calculations: Creating Random Values PM2082-17e for information on adding additional fields and calculating random values within the RandomPts.shp file. Or use the RandomPts.shp file in other geoprocessing tools for hypothetical analysis or modeling.









Contact:

Bailey Hanson bahanson@iastate.edu, 515-520-1436 or Professor Christopher J. Seeger, ASLA, GISP cjseeger@iastate.edu, 515-509-0651 for more information about the Geospatial Technology Program. This task sheet and more are available at www.extension.iastate.edu/communities/gis

Iowa State University Extension and Outreach does not discriminate on the basis of age, disability, ethnicity, gender identity, genetic information, marital status, national origin, pregnancy, race, religion, sex, sexual orientation, socioeconomic status, or status as a U.S. veteran. (Not all prohibited bases apply to all programs.) Inquiries regarding non-discrimination policies may be directed to Ross Wilburn, Diversity Officer, 2150 Beardshear Hall, 515 Morrill Road, Ames, Iowa 50011, 515-294-1482, wilburn@iastate.edu.