

2003

Thermal expansion studies on the unusual first order transition of $\text{Gd}_5\text{Si}_{2.09}\text{Ge}_{1.91}$: effects of purity of Gd

M. Han

Iowa State University

David C. Jiles

Iowa State University, dcjiles@iastate.edu

John E. Snyder

Iowa State University

Chester C.H. Lo

Iowa State University, clo@iastate.edu

J. S. Leib

Iowa State University

See next page for additional authors

Follow this and additional works at: http://lib.dr.iastate.edu/mse_pubs

The complete bibliographic information for this item can be found at http://lib.dr.iastate.edu/mse_pubs/104. For information on how to cite this item, please visit <http://lib.dr.iastate.edu/howtocite.html>.

Thermal expansion studies on the unusual first order transition of $Gd_5Si_2.09Ge_{1.91}$: effects of purity of Gd

Abstract

Two polycrystalline samples were made by using high purity Gd and commercial Gd, respectively, but with Si and Ge starting materials of the same purity in both cases. Thermal expansion results showed that both samples exhibited a first order phase transformation, with a discontinuity in thermally-induced strain and with hysteresis in the Curie temperature. Magnetic force microscopy has been used to demonstrate the magnetic phase transformation process from paramagnetic to ferromagnetic upon cooling. It was found that the Curie temperature was lower and the thermally-induced strain higher, in the sample made from lower purity level Gd starting materials compared with the sample made from high purity Gd metal. These results indicate that the impurities (mainly C, O, N, and F) in the Gd starting material can significantly alter the strain and Curie temperature of $Gd_5(Si_xGe_{1-x})_4$ alloys.

Keywords

Ames Laboratory, Electrical and Computer Engineering, Mechanical Engineering, Curie point, Germanium, Phase transitions, Stress strain relations, Thermal expansion

Comments

The following article appeared in *Journal of Applied Physics* 93 (2003): 8486 and may be found at <http://dx.doi.org/10.1063/1.1540060>.

Rights

Copyright 2003 American Institute of Physics. This article may be downloaded for personal use only. Any other use requires prior permission of the author and the American Institute of Physics.

Authors

M. Han, David C. Jiles, John E. Snyder, Chester C.H. Lo, J. S. Leib, Jason A. Paulsen, and Alexandra O. Pecharsky

Thermal expansion studies on the unusual first order transition of $\text{Gd}_5\text{Si}_{2.09}\text{Ge}_{1.91}$: effects of purity of Gd

M. Han, D. C. Jiles, J. E. Snyder, C. C. H. Lo, J. S. Leib, J. A. Paulsen, and A. O. Pecharsky

Citation: *Journal of Applied Physics* **93**, 8486 (2003); doi: 10.1063/1.1540060

View online: <http://dx.doi.org/10.1063/1.1540060>

View Table of Contents: <http://scitation.aip.org/content/aip/journal/jap/93/10?ver=pdfcov>

Published by the [AIP Publishing](#)

Articles you may be interested in

[Structural and magnetothermal properties of the \$\text{Gd}_5\text{Sb}_x\text{Ge}_{4-x}\$ system](#)

J. Appl. Phys. **99**, 08Q102 (2006); 10.1063/1.2150811

[The magnetic and magnetocaloric properties of \$\text{Gd}_5\text{Ge}_2\text{Si}_2\$ compound under hydrostatic pressure](#)

J. Appl. Phys. **97**, 10M320 (2005); 10.1063/1.1860932

[Dynamics of the magnetic field-induced first order magnetic-structural phase transformation of \$\text{Gd}_5\(\text{Si}_{0.5}\text{Ge}_{0.5}\)_4\$](#)

J. Appl. Phys. **95**, 6915 (2004); 10.1063/1.1687591

[Magnetic force microscopy characterization of a first-order transition: Magnetic-martensitic phase transformation in \$\text{Gd}_5\(\text{Si}_x\text{Ge}_{1-x}\)_4\$](#)

J. Appl. Phys. **91**, 8852 (2002); 10.1063/1.1456059

[Thermopower behavior in the \$\text{Gd}_5\(\text{Si}_{0.1}\text{Ge}_{0.9}\)_4\$ magnetocaloric compound from 4 to 300 K](#)

J. Appl. Phys. **91**, 4457 (2002); 10.1063/1.1459612

**Advances in Live Single-Cell Thermal Imaging and Manipulation
International Symposium, November 10-12, 2014**

biophysics; soft condensed matter/soft mesoscopics; IR/terahertz spectroscopy
single-molecule optoelectronics/nanoplasmonics; photonics; living matter physics

Application deadline: August 24



OIST

OKINAWA INSTITUTE OF SCIENCE AND TECHNOLOGY GRADUATE UNIVERSITY
沖縄科学技術大学院大学



Thermal expansion studies on the unusual first order transition of $\text{Gd}_5\text{Si}_{2.09}\text{Ge}_{1.91}$: effects of purity of Gd

M. Han

Metal and Ceramics Sciences Division, Ames Laboratory, U.S. Department of Energy, Ames, Iowa 50011 and Department of Materials Science and Engineering, Iowa State University, Ames, Iowa 50011

D. C. Jiles

Metal and Ceramics Sciences Division, Ames Laboratory, U.S. Department of Energy, Ames, Iowa 50011 and Department of Materials Science and Engineering, Iowa State University, Ames, Iowa 50011 and Department of Electrical and Computer Engineering, Iowa State University, Ames, Iowa 50011

J. E. Snyder

Metal and Ceramics Sciences Division, Ames Laboratory, U.S. Department of Energy, Ames, Iowa 50011 and Department of Materials Science and Engineering, Iowa State University, Ames, Iowa 50011

C. C. H. Lo

Metal and Ceramics Sciences Division, Ames Laboratory, U.S. Department of Energy, Ames, Iowa 50011

J. S. Leib

Metal and Ceramics Sciences Division, Ames Laboratory, U.S. Department of Energy, Ames, Iowa 50011 and Department of Materials Science and Engineering, Iowa State University, Ames, Iowa 50011

J. A. Paulsen

Metal and Ceramics Sciences Division, Ames Laboratory, U.S. Department of Energy, Ames, Iowa 50011 and Department of Mechanical Engineering, Iowa State University, Ames, Iowa 50011

A. O. Pecharsky

Metal and Ceramics Sciences Division, Ames Laboratory, U.S. Department of Energy, Ames, Iowa 50011

(Presented on 15 November 2002)

Two polycrystalline samples were made by using high purity Gd and commercial Gd, respectively, but with Si and Ge starting materials of the same purity in both cases. Thermal expansion results showed that both samples exhibited a first order phase transformation, with a discontinuity in thermally-induced strain and with hysteresis in the Curie temperature. Magnetic force microscopy has been used to demonstrate the magnetic phase transformation process from paramagnetic to ferromagnetic upon cooling. It was found that the Curie temperature was lower and the thermally-induced strain higher, in the sample made from lower purity level Gd starting materials compared with the sample made from high purity Gd metal. These results indicate that the impurities (mainly C, O, N, and F) in the Gd starting material can significantly alter the strain and Curie temperature of $\text{Gd}_5(\text{Si}_x\text{Ge}_{1-x})_4$ alloys. © 2003 American Institute of Physics.

[DOI: 10.1063/1.1540060]

INTRODUCTION

The properties of $\text{Gd}_5(\text{Si}_x\text{Ge}_{1-x})_4$ were first studied in 1967.¹ In recent years, this material has attracted much attention due to its unusual giant magnetocaloric effect (MCE),² giant magnetoresistance (GMR), and colossal magnetostriction (CMS).³ It is very unusual for a single material to possess these three effects together. The magnetocaloric effect is a phenomenon on which the alignment of randomly oriented magnetic moments caused by application of an external magnetic field results in heating, while randomizing the magnetic moments by removing the magnetic field results in cooling. Previous results indicated that the impurities in starting Gd material play a critical role in determining the magnitude of the giant MCE in the final material.⁴ In this study, the effect of impurities on the magnetoelastic properties of $\text{Gd}_5(\text{Si}_x\text{Ge}_{1-x})_4$ system is also reported through the

measurement of thermal expansion. The results show that the strain amplitude is higher in the material made from lower purity Gd.

EXPERIMENTAL DETAILS

Two polycrystalline $\text{Gd}_5(\text{Si}_{2.09}\text{Ge}_{1.91})$ samples were prepared by arc-melting a stoichiometric mixture of pure components in an argon atmosphere under normal pressure. The two samples used the same purity Si and Ge starting materials (both >99.99 at.%). One of the samples was prepared using Ames Laboratory (AL) Gd(99.8% pure), the major impurities (in atomic ppm) of which were: 440-O, 200-C, 160-H. Sample 2 was fabricated by using commercial purity Gd (96.9 at.% pure) which contained 18300-O, 4300-C, 4300-N, and 3700-F (in atomic ppm). Mass losses after arc-melting were less than 0.5 wt.%, so the alloy chemical compositions were assumed to be, to a first approximation, unchanged in the final product. The thermal expansion




FIG. 1. Linear thermal strain (under fields of 0 and 1 T) of polycrystalline $\text{Gd}_5\text{Si}_{2.09}\text{Ge}_{1.91}$ made from Ames Laboratory high purity gadolinium.

measurements were conducted using the strain-gauge method in a Janis Research 2-stage closed cycle helium refrigeration. The sample was cooled down from room temperature through the Curie point transition, and then later was heated up through the Curie point transition. The linear thermal expansion was measured during both cooling and heating. The Curie temperatures was determined by differentiating the cooling and heating curves and finding the maximum derivative of the strain with respect to temperature. In addition, a magnetic field $B=1$ T was applied along the measurement direction to study the effect of magnetic field on the magnetoelastic properties. *In situ* magnetic force microscopy (MFM) was used to observe the phase transformation. This was carried out by using an MFM equipped with a heating-cooling stage.

RESULTS AND DISCUSSION

Thermal expansion measurement results are shown in Fig. 1 for the sample $\text{Gd}_5(\text{Si}_{2.09}\text{Ge}_{1.91})$ made from AL Gd at $B=0$ and 1 T. An abrupt change in strain was observed at 283 K on cooling and 288 K on heating for $B=0$ T; and at 287.5 K on cooling and 298 K on heating for $B=1$ T. A discontinuity in thermal strain and thermal hysteresis are signatures of a first-order phase transition. Above the transition temperature, the sample is paramagnetic and monoclinic. Below the transition temperature, it is ferromagnetic and orthorhombic. Previous references have indicated that this first order coupled magnetic-crystallographic transition only occurs within the composition range $0.24 \leq x \leq 0.5$. Recently, a more complete magnetic and crystallographic phase diagram has been established for the $\text{Gd}_5(\text{Si}_x\text{Ge}_{1-x})_4$ system,⁶ where a two-phase region $0.503 < x < 0.575$ is added between two regions that show a single phase around room temperature.

The composition of the present samples ($x=0.5225$) falls into this so-called two-phase region. For this composi-




FIG. 2. MFM images showing the magnetic phase transformation process for the sample made with high purity Ames Laboratory gadolinium. The leftmost image shows the sample in the paramagnetic state; the middle and the rightmost images show the ferromagnetic state with increasing domain size.

tion the two crystallographic structures that can exist around room temperature are: monoclinic $\text{Gd}_5\text{Si}_2\text{Ge}_2$ -type paramagnetic state (the β phase) which is formed above 1200 K and can be retained at room temperature, and orthorhombic Gd_5Si_4 -type paramagnetic state (the γ phase) which is formed on heat treating the β phase above 690 K but below 1200 K and which appears to be stable at room temperature. When the paramagnetic β phase is cooled down below its Curie temperature, a coupled first-order magnetic-crystallographic phase transition occurs, and the ferromagnetically ordered Gd_5Si_4 -type structure (α phase) is formed. This transformation is reversible. When the paramagnetic orthorhombic Gd_5Si_4 -type γ -phase is cooled, it undergoes only an ordinary second-order transition from paramagnetic to ferromagnetic with no associated crystallographic change. This transition is also reversible. In the two-phase region, one can get either or both of β or γ phase to exist at room temperature, depending on heat treatment.

The present samples were heat treated to ensure single phase before they were used for thermal expansion measure-




FIG. 3. Linear thermal strain in zero applied field of polycrystalline $\text{Gd}_5\text{Si}_{2.09}\text{Ge}_{1.91}$ made from commercial quality gadolinium.

ment. In Fig. 2, the MFM images show the transition from paramagnetic state to ferromagnetic state upon cooling. Fig. 1 shows a discontinuity in thermal strain at transition temperature of 283 K on cooling and at 288 K on heating, and hysteresis in the Curie temperature. These are both indicative of a first order phase transition. Thus taken together, they appear to indicate a first-order simultaneous magnetic-crystallographic phase transition. The γ phase of Gd_5Si_4 is expected to be ferromagnetic at room temperature and therefore not subject to a phase transformation upon cooling. Therefore on the basis of these results, it is believed that at room temperature, these samples adopted the crystal structure of the β phase. In addition, as shown in Fig. 1, the magnetic field can shift the Curie point to higher temperatures which also demonstrates that this first order transformation can be triggered by either temperature or applied magnetic field. In Fig. 1, the linear thermal expansion ($\Delta l/l$) of 0.26%, corresponds to a volume expansion of ($\Delta V/V = 3\Delta l/l$) about 0.78%, assuming minimal texturing. The thermal expansion results for sample 2 made from commercial Gd are shown in Fig. 3. On cooling $T_c = 270$ K, on heating $T_c = 275$ K. Thus the higher levels of impurities in the commercial Gd appear to have the effect of decreasing the transition temperature by $\Delta T_c = 13$ K (on either cooling

or heating). The linear thermal expansion was 0.85%, corresponding to volume expansion of 2.55%, assuming minimal texturing. These values are considerably higher than those obtained in the sample made with high-purity Gd.

ACKNOWLEDGMENTS

This research was supported by the U.S. Department of Energy, Office of Basic Energy Sciences, Materials Sciences Division. Ames Laboratory is operated by Iowa State University for the U.S. Department of Energy under Contract No. W-7405-ENG-82.

¹F. Holtzberg, R. J. Gambino, and T. R. McGuire, *J. Phys. Chem. Solids* **28**, 2283 (1967).

²V. K. Pecharsky and K. A. Gschneidner, Jr., *Phys. Rev. Lett.* **78**, 4494 (1997).

³V. K. Pecharsky and K. A. Gschneidner, Jr. *Adv. Mater.* **13**, 683 (2001).

⁴K. A. Gschneidner, Jr., A. O. Pecharsky, V. K. Pecharsky, and T. A. Lograsso, *Rare Earths and Actinides: Sciences, Technology and Applications IV* (The Minerals, Metals & Materials Society, 3, Warrendale, PA, 2000).

⁵V. K. Pecharsky and K. A. Gschneidner, Jr., *J. Alloys Compd.* **260**, 98 (1997).

⁶A. O. Pecharsky, K. A. Gschneidner, Jr., V. K. Pecharsky, and C. E. Schindler, *J. Alloys Compd.* **338**, 126 (2002).